




| N  | Code     | Description                                           | Initial serial number |
|----|----------|-------------------------------------------------------|-----------------------|
| -  | 3.026701 | Cylinder - complete                                   |                       |
| -  | 3.027684 | Hydraulic group                                       |                       |
| -  | 3.029952 | Complete control panel                                |                       |
| -  | 1.043565 | Wiring, ignition                                      |                       |
| -  | 3.031965 | Electrical wiring assembly                            |                       |
| 1  | 1.039163 | Condensing exchanger                                  |                       |
| 2  | 1.041255 | Module epdm gasket                                    |                       |
| 3  | 1.039493 | Flue outlet gasket                                    |                       |
| 4  | 3.027223 | Flue hood group                                       |                       |
| 5  | 1.029280 | Cap for hole d.80                                     |                       |
| 6  | 1.0110   | Crossheaded flat pointed self-tapping screw (4,2x13)  |                       |
| 7  | 1.045037 | Insulating panel                                      |                       |
| 8  | 1.041461 | Flue probe double                                     |                       |
| 9  | 2.016069 | Insulation fixing plate                               |                       |
| 10 | 1.033429 | M5x10 hex screw                                       |                       |
| 11 | 1.012468 | Stainless steel elastic washer (M5)                   |                       |
| 12 | 1.043704 | Burner                                                |                       |
| 13 | 1.040208 | Graphite gasket for burner                            |                       |
| 14 | 1.039407 | Gas manifold gasket                                   |                       |
| 15 | 1.039408 | Cord packing                                          |                       |
| 16 | 1.044757 | Gas manifold                                          |                       |
| 17 | 1.044758 | Seal fan                                              |                       |
| 18 | 1.041108 | Fan                                                   |                       |
| 19 | 1.043244 | Condensation module delivery pipe (d.18)              |                       |
| 20 | 1.043841 | Condensate drain extension                            |                       |
| 21 | 1.042877 | Condensation module - pump pipe (d.18)                |                       |
| 22 | 1.035161 | Silicone fairlead (d.15)                              |                       |
| 23 | 1.026763 | Pipe clip (d.18)                                      |                       |
| 24 | 1.039476 | NTC probe pipe d.18                                   |                       |
| 25 | 1.026459 | Peroxide epdm O-Ring (17,86x2,62)                     |                       |
| 26 | 1.033854 | Epdm O-Ring (18,00x2,8, 83sh)                         |                       |
| 27 | 1.025911 | Nut (M6)                                              |                       |
| 28 | 1.011057 | Pressure point screw                                  |                       |
| 29 | 1.027485 | Hex socket screw (M4x10)                              |                       |
| 30 | 2.013322 | Flange for module cover inspection hole               |                       |
| 31 | 1.024898 | Gasket for module inspection hole                     |                       |
| 32 | 1.034606 | Ceramic glass (d.20)                                  |                       |
| 33 | 1.030251 | Ignition electrode gasket                             |                       |
| 34 | 1.040204 | Ignitor and detection electrode                       |                       |
| 35 | 1.040920 | Crossheaded screw (M5x30)                             |                       |
| 36 | 2.016228 | Air pipe support bracket                              |                       |
| 37 | 1.2275   | Flat pointed crossheaded self-tapping screw (4,2x9.5) |                       |
| 38 | 1.043655 | Air intake pipe                                       |                       |
| 39 | 1.041995 | Terminal                                              |                       |
| 40 | 1.041247 | Sleeve                                                |                       |
| 41 | 1.045067 | Gas mixer                                             |                       |
| 42 | 1.026530 | Nitrile O-Ring (63x3 sh)                              |                       |
| 43 | 1.045165 | Crossheaded screw (M6x12)                             |                       |

| N  | Code     | Description                           | Initial serial number |
|----|----------|---------------------------------------|-----------------------|
| 44 | 1.043827 | Gas diaphragm (d.5,7)                 |                       |
| 45 | 1.6958   | 8.74x1.78 O-ring, nitrile, 70 sh      |                       |
| 46 | 1.037816 | 13.94x2.62 O-ring,                    |                       |
| 47 | 1.025064 | Silicone fairlead (d.12.5)            |                       |
| 48 | 1.043652 | Pipe clip (d.14)                      |                       |
| 49 | 1.043248 | Gas valve - manifold pipe (d.14)      |                       |
| 50 | 1.023992 | Gasket (24x16x2)                      |                       |
| 51 | 1.034940 | Gas valve                             |                       |
| 52 | 1.016187 | Silicone tube (8x12)                  |                       |
| 53 | 3.030684 | Plastic siphon assembly               |                       |
| 54 | 1.023581 | Rubber adapter                        |                       |
| 55 | 1.036128 | Brassy nut                            |                       |
| 56 | 1.043417 | Hose                                  |                       |
| 57 | 1.026457 | Epdm O-Ring (7,6x2,62, 70 sh)         |                       |
| 58 | 1.039994 | Cold water inlet manifold             |                       |
| 59 | 2.014033 | Metal-sheet clip (d.9)                |                       |
| 60 | 1.027006 | Silicone fairlead (d.2)               |                       |
| 61 | 1.028561 | Safety valve (3 bar)                  |                       |
| 62 | 3.021689 | By-pass complete cartridge            |                       |
| 63 | 1.028555 | Return manifold                       |                       |
| 64 | 1.029596 | 19.8x3.6 O-ring                       |                       |
| 65 | 1.4072   | Clip with clamp screw hole            |                       |
| 66 | 1.029426 | Clip                                  |                       |
| 67 | 1.033590 | Pump motor                            |                       |
| 68 | 1.036499 | Pump body                             |                       |
| 69 | 1.027110 | Automatic vent valve                  |                       |
| 70 | 1.027277 | Absolute pressure switch              |                       |
| 71 | 3.023234 | Complete cartridge                    |                       |
| 72 | 1.033918 | 3-way valve motor                     |                       |
| 73 | 1.028548 | Housing, outlet manifold              |                       |
| 74 | 1.042202 | Hex socket screw (M5x60)              |                       |
| 75 | 1.028605 | Outlet manifold clip                  |                       |
| 76 | 1.027137 | Pump coupler fitting                  |                       |
| 77 | 1.028559 | Heat exchanger gasket                 |                       |
| 78 | 1.039196 | Outlet manifold                       |                       |
| 79 | 2.016628 | Expansion vessel bracket              |                       |
| 80 | 1.038336 | Lowered brass nut (1/2" F)            |                       |
| 81 | 1.036911 | Expansion vessel (2 litre)            |                       |
| 82 | 1.026140 | Double-sided adhesive strip           |                       |
| 83 | 1.039286 | Expansion vessel (10 litres)          |                       |
| 84 | 1.043217 | Expansion vessel pipe (d.8)           |                       |
| 85 | 1.010289 | Tropicalized hex socket screw (M5x16) |                       |
| 86 | 1.031892 | Pressure switch locking clip          |                       |
| 87 | 1.011131 | Fairlead (d.8)                        |                       |
| 88 | 1.019751 | Silicone fairlead (d.6)               |                       |
| 89 | 2.016648 | Sealed chamber side panel             |                       |
| 90 | 1.036912 | Open rivet (M4)                       |                       |

| N   | Code     | Description                                          | Initial serial number |
|-----|----------|------------------------------------------------------|-----------------------|
| 91  | 2.015789 | Back panel, sealed chamber                           |                       |
| 92  | 1.043058 | Plastic fitting                                      |                       |
| 93  | 1.042908 | Stud for module                                      |                       |
| 94  | 1.013154 | Adhesive foam strip (d.15x3)                         |                       |
| 95  | 2.015738 | Cover, sealed chamber                                |                       |
| 96  | 2.015791 | Back panel, sealed chamber supporting plate          |                       |
| 97  | 1.041151 | 4,2x13 self-tapping screw                            |                       |
| 98  | 2.016004 | Sides fixing cross member bracket                    |                       |
| 99  | 2.016622 | Sides fixing cross member                            |                       |
| 100 | 2.015742 | Front casing                                         |                       |
| 101 | 2.016855 | Casing side                                          |                       |
| 102 | 1.041194 | Crossheaded screw (M4x10)                            |                       |
| 103 | 1.041096 | Front cover                                          |                       |
| 104 | 1.040111 | "Immergas" logo adhesive plate                       |                       |
| 105 | 1.044191 | Acoustic insulation panel                            |                       |
| 106 | 1.024204 | Rubber buffer                                        |                       |
| 107 | 1.041084 | Control panel knob                                   |                       |
| 108 | 1.035248 | Crossheaded self-tapping screw (3x10)                |                       |
| 109 | 1.044192 | Acoustic insulation panel                            |                       |
| 110 | 1.041092 | Connection group cover                               |                       |
| 111 | 1.041090 | Bezel, control panel                                 |                       |
| 112 | 1.041088 | Keyboard                                             |                       |
| 113 | 1.041085 | PCB                                                  |                       |
| 114 | 1.041083 | Control panel rear cover                             |                       |
| 115 | 1.034600 | Manometer                                            |                       |
| 116 | 1.042879 | Terminals block clamping plate                       |                       |
| 117 | 2.016692 | Control panel fixing cross member                    |                       |
| 118 | 1.7908   | Black cable clamp                                    |                       |
| 119 | 1.037773 | Crossheaded self-tapping screw (3,5x16)              |                       |
| 120 | 3.022615 | Filling valve group                                  |                       |
| 121 | 1.030216 | Nbr O-Ring (11,91x2,62,70sh)                         |                       |
| 122 | 1.033226 | Nbr O-Ring (2,84x2,62,70sh)                          |                       |
| 123 | 1.029659 | 6x2 O-ring, epdm                                     |                       |
| 124 | 1.032017 | Plastic knob                                         |                       |
| 125 | 1.043141 | Rx-Lx panel control mount hinge                      |                       |
| 126 | 1.040938 | Gas supply pipe (d.18)                               |                       |
| 127 | 1.025451 | Gas cock ( 1/2")                                     |                       |
| 128 | 1.025133 | Low connection pipe (d.18)                           |                       |
| 129 | 1.0375   | Tube fitting (Vabco, d.18, G3/4")                    |                       |
| 130 | 1.026849 | Connection pipe (d.14) for cold inlet and hot outlet |                       |
| 131 | 1.020058 | Tube fitting (Vabco, d.14, -1/2"M)                   |                       |
| 132 | 1.022729 | Ball valve (Vabco, d.14, 1/2" M)                     |                       |
| 133 | 1.036492 | 8-way terminal block                                 |                       |
| 134 | 1.034405 | Gasket (18.5x11.5x2)                                 |                       |
| 135 | 1.016246 | Crossheaded self-forming screw (M4x8)                |                       |
| 136 | 1.4246   | Lock washer (M4)                                     |                       |
| 137 | 2.015766 | Valve supporting plate                               |                       |

| N   | Code     | Description                                            | Initial serial number |
|-----|----------|--------------------------------------------------------|-----------------------|
| 138 | 1.4557   | Crossheaded self-tapping screw with shoulder (4,2x9,5) |                       |
| 139 | 2.015729 | Frame                                                  |                       |
| 140 | 1.044296 | Filling pipe (d.8)                                     |                       |
| 141 | 1.A158   | 8 bar safety valve cartridge                           |                       |
| 142 | 1.4275   | Drain fitting with hose union                          |                       |
| 143 | 1.023993 | Gasket (14.8x8x2)                                      |                       |
| 144 | 1.041119 | Seal, 24x13x2                                          |                       |
| 145 | 1.040390 | Bottom cover, cylinder                                 |                       |
| 146 | 1.032415 | Flow limiter (16 litres)                               |                       |
| 147 | 1.1759   | Storage tank gasket                                    |                       |
| 148 | 1.1760   | Hex headed screw (M8x22)                               |                       |
| 149 | 3.011207 | Coil group                                             |                       |
| 150 | 1.1114   | Nitrile O-Ring (18,64x3,53, 70 sh)                     |                       |
| 151 | 1.1122   | Anode cap                                              |                       |
| 152 | 1.019458 | Magnesium anode (d.16)                                 |                       |
| 153 | 3.025222 | Hot outlet probe assembly                              |                       |
| 155 | 1.021762 | NTC fast immersion probe                               |                       |
| 156 | 1.022437 | Lowered brass nut (1/2" F)                             |                       |
| 157 | 1.023511 | Gasket (30x22x2)                                       |                       |
| 158 | 1.025219 | Storage tank probe fitting                             |                       |
| 159 | 2.016203 | Bracket, cylinder hanger                               |                       |
| 160 | 2.016624 | Fixing bracket for cylinder, front                     |                       |
| 161 | 2.015827 | Fixing bracket for cylinder, rear                      |                       |
| 162 | 1.039186 | Front insulation layer                                 |                       |
| 163 | 1.039187 | Rear insulation layer                                  |                       |
| 164 | 1.043221 | Storage tank flow pipe (d.18)                          |                       |
| 165 | 1.039409 | Boiler return pipe (d.18)                              |                       |
| 166 | 1.1356   | Nut for flanged end pipe (3/4" F, d.18)                |                       |
| 167 | 1.027886 | Gasket (37x26.8x2)                                     |                       |
| 168 | 2.010615 | Boiler supporting bracket                              |                       |
| 169 | 1.1586   | Masonry turned screw (M8)                              |                       |
| 170 | 1.1116   | Nut (M8)                                               |                       |
| 171 | 1.1587   | Plastic masonry plug                                   |                       |
| 172 | 1.034660 | Nut (G1/4")                                            |                       |
| 173 | 1.036231 | M5x10 screw                                            |                       |
| 174 | 1.1176   | Crossheaded screw (M5x8)                               |                       |
| 175 | 1.019654 | Flexible hose for siphon                               |                       |
| 176 | 2.014178 | Metal-sheet clip (d.13,5)                              |                       |
| 177 | 1.027108 | Drain fitting                                          |                       |
| 178 | 3.026847 | Sealed chamber cover assembly                          |                       |
| 179 | 3.027666 | Cold inlet valve assembly                              |                       |
| 180 | 1.042397 | Lower grid                                             |                       |
| 181 | 1.0153   | Crossheaded screw (M4x6)                               |                       |
| 182 | 1.039494 | Adhesive mousse pad                                    |                       |
| 183 | 1.041328 | Adhesive mousse pad                                    |                       |
| 184 | 1.040303 | Valve (G 1/2")                                         |                       |
| 185 | 3.026794 | Flue sampling point cap with pressure test points      |                       |

| N   | Code     | Description                       | Initial serial number |
|-----|----------|-----------------------------------|-----------------------|
| 186 | 3.028165 | Pump group                        |                       |
| 187 | 1.037216 | 4,2x13 self-tapping screw         |                       |
| 188 | 1.035696 | Cable gasket                      |                       |
| 189 | 1.042010 | Reflecting aluminium sheet        |                       |
| 190 | 1.8403   | Stainless steel mesh filter       |                       |
| 191 | 1.2125   | Anode gasket                      |                       |
| 192 | 1.023008 | Peroxide epdm O-Ring (13,95x2,62) |                       |
| 193 | 1.041272 | 9-way terminal block              |                       |
| 194 | 1.025042 | Cold inlet pipe (d.14)            |                       |
| 195 | 3.027179 | Bracket, cylinder mount           |                       |
| 196 | 1.011163 | Tropicalized washer (3,2x7x0,5)   |                       |
| 197 | 1.023324 | Knob protection                   |                       |
| 198 | 1.041089 | Display board                     |                       |
| 199 | 1.041094 | Electrical box support            |                       |
| 200 | 1.041991 | Grommet                           |                       |
| 201 | 1.042864 | Flue shutter                      |                       |
| 202 | 1.043245 | Spacer                            |                       |
| 203 | 1.045391 | Adhesive mousse                   |                       |
| 204 | 1.043249 | 9-way terminal block              |                       |
| 205 | 1.044831 | Cross recessed pan head screw     |                       |